

High End Collection




AKOS





- Akos fireplaces have been designed as a minimalistic product line.
- Akos fireplaces have been designed by the best engineers in the field.
- Akos fireplace have been patented as a high-efficiency gas fireplace by the inventor Albert Sason, who has an experience of 25 years of designing, building, and creating fireplaces.
- Akos fireplace burner technology have been patented.
- The energy rating of the Akos Fireplaces is Type A, meaning that they can be used as a heating element with a nice and decorative flame effect, or as a decorative fireplaces by using one of two burner steps.
- All types of the Akos fireplaces come with a step burner within the immense range of models offered by Akos.
- The warranty of the Akos burner is 10 years for all types of approved gas by the European Standards Institute.
- Akos fireplaces can be supplied as sheet metal surrounding inside the burner chamber or with a black and reflective Robax glass, in order to create a reflective background for the fire, according to the requests of the customer.
- Akos fireplaces were designed with a possibility of being a wall-hanging insert fire or for installation on legs. Both options are possible for installation.
- Akos fireplaces can be used by the following decoration on top of the burner: Log set, small pebbles, big pebbles, and basalt stone.
- Each Akos fireplace has a high-end remote control unit with option to supply with wi-fi application










Technical details on page - 20

Medium | Largh | XLargh | XLG | XXL







Technical details on page - 21

(Right or Left corner) Medium | Largh | XLargh | XLG | XXL







Technical details on page - 23

Medium | Largh | XLargh | XLG | XXL











Technical details on page - 26

100 | 80 | 60








Technical details on page - 27

One face | Corner (L / R) | Three face








Sharp




Top Chimney Configuration

Back Chimney Configuration





Top Chimney Configuration

Nancy




Back Chimney Configuration





FS 37 / FS 3S







Installation option

Mercury


Medium




Largh




X Largh



XLG




XXL




Uranus


Medium




Largh




X Largh



XLG



XXL









Left corner

Uranus

Medium

Largh





X Largh



XLC


XXL

Right corner




Meridian


Medium




Largh




X Largh



XLG




XXL




Gemini


Medium




Largh




XL



XLG




XXL




Eros


Medium




Largh




XL






XLG




XXL









NV80





One face




Corner (Right)



Three face




Corner (Left)





	Mercury - XXL	Uranus Left - XXL	Uranus Right - XXL	Meridian - XXL	Geminy - XXL	Eros - XXL	Mercury - XLG	Uranus Left - XLG	Uranus Right - XLG	Meridian - XLG	Geminy - XLG	Eros - XLG	Mercury - XL	Uranus Left - XL	Uranus Right - XL	Meridian - XL	Geminy - XL	Eros - XL
Gas type LPG (G30,G31)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Input KW	19.5	19.5	19.5	19.5	19.5	19.5	16	16	16	16	16	16	12	12	12	12	12	12
Step A	9.8	9.8	9.8	9.8	9.8	9.8	8.0	8.0	8.0	8.0	8.0	8.0	6.0	6.0	6.0	6.0	6.0	6.0
Step B	9.8	9.8	9.8	9.8	9.8	9.8	8.0	8.0	8.0	8.0	8.0	8.0	6.0	6.0	6.0	6.0	6.0	6.0
Natural Gas (G20,G25)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Input KW	17	17	17	17	17	17	17.5	17.5	17.5	17.5	17.5	17.5	10	10	10	10	10	10
Step A	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.8	8.8	8.8	8.8	8.8	5.0	5.0	5.0	5.0	5.0	5.0
Step B	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.8	8.8	8.8	8.8	8.8	5.0	5.0	5.0	5.0	5.0	5.0
Energy conversion Efficiency Class (82% +)	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Flue Size	130/200						130/200						130/200					
Control	Mertic GV-60						Mertic GV-60						Mertic GV-60					
Wi-Fi control option	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Flame Decoration																		
Logs	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pebbles	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Basalt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Decorative Glass Surrounding	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Decorative stone Surrounding	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗



Mercury - L	Uranus Left - L	Uranus Right - L	Meridian - L	Geminy - L	Eros - L	Mercury - M	Uranus Left - M	Uranus Right - M	Meridian - M	Geminy - M	Eros - M	Mercury - S	Uranus Left - S	Uranus Right - S	Meridian - S	Geminy - S	Eros - S	SQ - 100	SQ - 080	SQ - 060	Sharp	Nancy							
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
10	10	10	10	10	10	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	12	12	12							
5.0	5.0	5.0	5.0	5.0	5.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	6.0	6.0	6.0							
5.0	5.0	5.0	5.0	5.0	5.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	6.0	6.0	6.0							
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
10	10	10	10	10	10	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9	9	9							
5.0	5.0	5.0	5.0	5.0	5.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5							
5.0	5.0	5.0	5.0	5.0	5.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5							
Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ							
130/200						100/150						130/200						100/150						100/150					
Mertic GV-60						Mertic GV-60						Mertic GV-60						Mertic GV-60											
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓							





Koperfam Sp. z o.o.
ul. Olszankowa 51
05-120 Legionowo
tel. +48 784 874 875
tel. +48 784 005 730
www.akosfire.com

05-120 Legionowo